

Unassembled Wheelbarrow (80-100 and 120 Liters)

- Designed for professional use, our demontable wheelbarrows are manufactured for heavy duty and long-term operations.
- 0.7 mm galvanized sheet pressed in one piece for 80L and 100L sand carrying capacity. Ø32x1.2 mm steel industrial pipe on the chassis.
- 0.8 mm galvanized sheet pressed in one piece for 120L sand carrying capacity. Ø32x1.5 mm steel industrial pipe on the chassis.
- We use anti-rust long life tray. The edges of the tray are bended to form a safe operation and a solid structure on a special machine.
- The chassis and other metal parts are electrostatic powder coated thanks to painting.

Colour Options

Depending on your order, all colours and "private label" options are welcome.



Wheels

According to the different costumers' needs, we manufacture various wheels with bushing and bearing options

Pneumatic Wheel (3.50x7) w/ Bushing



- 3 kgs
- 120 kgs max. load
- 20 PSI air pressure

Pneumatic Wheel (3.50x7) w/ Bearing



- 3.1 kgs
- 120 kgs max. load
- 20 PSI air pressure

PVC Flat Free Wheel (3,35×75) w/ Bushing



- 3.1 kgs
- 120 kgs. max. load

PVC Flat Free Wheel (3,35×75) w/ Bearing



- 3.2 kgs
- 120 kgs max. load

Solid Wheel (3,35x75) w/ Bushing



- 3.4 kgs
- 150 kgs max. load

Solid Wheel (3,35x75) w/ Bearing



- 3.5 kgs
- 150 kgs max. load

hardwork Ware

Headquarters

İskenderpaşa Mah. Orta Çeşme Çıkmazı Sk. Çağdaş Apt. No.: 1/4 Fatih - İstanbul / Türkiye

P:+90 532 685 6686 • M:contact@sedexport.com